

26

Y 2
7398
F 30

On the Anginose plates of fucus,
including

~~Muscosa~~ 10.1

~~Angina pharyngea~~ 2.

~~Tonsillaris~~ 3.

~~enulifera~~ - second 1.

~~Scalittina anginosa~~ 9

~~Diffusiva~~ 15

~~Trachialis~~ 21

~~Muscosa~~ 34
~~Pharyngea~~ 35
Angina tonsillaris 36

V It is remarkable that Ulcers & Swellings
^{occur} in the throat in the children more than
in any other part of the body. This fact
favours the ~~idea~~ opinion of Mr Webster.

The Ulcerous sore throat exists in three forms. These are

- 1 The ~~Ulcerous~~ Malignant sore throat.
- 2 The ~~Scarlatina~~ Scarlatina Anginosa, or what is called the Scarlet fever sore throat, and
- 3 The Breilles of Dr. Tissot, or the Angina Suffocativa of Dr. Bard. —

I of the malignant sore throat. This form of disease made its appearance soon after the plague disappeared in Europe, from which Mr. Webster has supposed it to be an innocent form of that disease. It resembles it in appearing in middle latitudes, in the Autumnal months - in having exacerbations at night, ~~and~~ in being attended with bilious discharges and in terminating in from three to five days. It is a very fatal disease often destroying thousands in a city, or country in a few months. I have once seen

✓ prostrated in it. The pulse is ~~typ~~ most
commonly typhus, but we now and
then find it typhoid, and in a few
cases I have known it to synocha &
Synochus fortis in its first stage.

✓
ours
in
in
8

it
yea
luc
wi
boy
m
to
w
y
b

it epidemic in this city ~~once~~ about the
 year 1763. It prevailed chiefly among children,
 but I well recollect some adults were affected
 with it. Girls are more subject to it than
 boys, women than men, and the weak,
 more than the robust. I have known it
 to appear occasionally in sporadic cases
 and then suddenly disappear for several
 years. The same remark applies to all
 other malignant diseases. Their short
 and occasional visits seem intended to
 exhibit a renewal of their claim upon
 human life ~~lost~~ lest in the lapse of 20
 or 30 years they should lose their power
 over it. The system is generally very much

For a ^{more} particular description of this
 disease I refer you to Dr Latham, Dr
 Johnson, and Dr Cullen's histories of it.
 It has been supposed to spread by conta-
 -gion, but if it be a relit or modification

✓
ours
in
in
of

of
son
wh
-geo
th
Ca
c
an
-l
-l
M
in
-g
o
in
b
J
=

of the plague, its remote cause must be
 sought for in the atmosphere. In cases
 where a great deal of putrid matter is ^{formed on} dis-
 charged from Ulcers in the throat, it is probable
 the breath may convey the disease. In this
 case it is propagated by the contagion of
 excretion only, or perhaps it is excited by
 an active odor awakening dormant miasma-
 -ta in a predisposed system. The matter dis-
 -charged from the Ulcers in this disease is
 so acrid as to inflame the nose & mouth
 in children and even to excoriate the fin-
 -gers of a physician. No wonder therefore the
 odor from this matter excites the disease
 in a ~~predisposed~~ habit predisposed to it by
 being impregnated with its miasmata.
 In favor of its spreading by a specific con-
 -tagion, it is said to be taken but once, but
 this may be accounted for by children being
 the principal subjects of it, for as it
 appears

✓
ours
in
in
J

but
who
the
as
it

o
a
C
D

but even in 20 or 30 years, the Children
who have had it by burning Adults within
that time lose their predisposition to it from
Age, and not from a previous Attack of
it.

Its premonitory symptoms are languor,
or ~~poor~~ unusual faintness, watery eyes,
a stiff neck, a fetid taste & smell, and the
common signs of an approaching fever.
In this forming state of the disease, an
emetic often strangles the it in a few
hours. My preceptor in medicine employed
the Sulphate of mercury that is I believe
minimal in dose from 1 to 3 grains for
this purpose, and with the happiest ef-
fects. None died who took it on the first
day. It seems to salivate not only the
throat, but the Stomach, and the whole
intestinal canal. ~~The Utility of emetics in~~
~~spoon this disease~~ After the disease is

[Faint, illegible handwriting on aged paper]

for
1
for
4
21
of
v
h
2
L
L
c
/

5
formed the remedies should be
1 Bleeding if the pulse be Symplicha or Symplicha
fortis. Be not deterred by what English ~~writers~~
Physicians have written against this
remedy from using it. Recollect the difference
of the people of Great Britain & the United States.
of our climates, aliments & habits of
one bled four times in a Symplicha case of
this disease and thereby saved my patient.

2 Emetics. These should ^{be} given in those
cases where the pulse forbids bleeding but
where the system requires some depletion.
They should be repeated daily until the
pulse is reduced to the typhus point. They
cleanse the throat, discharge bile - equalize
excitement, and prepare the way for the
exhibition of stimulating remedies. The
sulphate of mercury should be preferred to
all other emetics.

✓ pepper has been given with success in this
disease in cases in which the stomach
has rejected the bark, and even when the
pulse has forbidden it. It is not only a
^{safe} ~~good~~ stimulant, but it cleans the
throat in its passage into the stomach.
The following is the formula in which
it has been used in the West Indies.

Three table spoonful of ~~the~~ the Cayenne
pepper - two of common salt - boiling
water ℥ss - When cold add to it ℥ss of
vinegar, and give to an Adult a table
spoonful every hour first shaking the
Vessel that contains them.

his
h
re
te
h
e
6
3 gentle purges. The bowels are generally
irritated in this disease, and disposed to a
diarrhea for which reason active purges
should never be given. Dr. Bothingill advises
to give them only on the first day of the
disease. A diarrhea after this should be restrain-
ed, for it not only weakens the patient,
but checks a salutary effluence upon the
skin.

4 Bark, wine & Laudanum. These remedies
should be given in the most liberal quantities
as soon as the pulse is returned to the ty-
phus state by the remedies that have been
mentioned. They should be given from
the beginning, and without any previous
evacuations provided the pulse be typhus
on the first day of the disease. Cayenne
5 mercury. Dr. Douglas of Boston & after
him Dr. Ogden of Long Island introduced
this medicine into practice in the
malignant

For

was

of

was

was

to

the

at

6

by

a

of

of

of

of

of

of

of

7
They
sore throat. It ~~should always be~~ combined ^{it}
with Theriacal to prevent its passing out
of the system thro' the bowels. The Theriac
was moreover a useful addition to the
cordials required by the disease. The mercury
seldom failed of curing when it affected
the throat where it produced a far less destruc-
tive action than the disease.

6
6 Luminations of this a funnel of myrtle
boiled in vinegar conveyed to the throat, also
~~and~~ gently stimulating gargles particularly
sage tea acidulated with the muriatic acid
and made pleasant with sugar are very
useful. When they are ineffectual to cleanse
the throat, a rag tied round a stick should be
employed for that purpose. The foides, if suf-
ficed to remain in the throat, by reacting,
increases the disease.

~~The greater~~
The greater the external swelling about the

men

is to

appt

-tion

con

is

con

of

to

by

neck and throat, the ⁴ less the danger. Sweating
is always favourable. The danger does not
appear to be lessened by the extent of the erup-
tion upon the skin.

The skin and even the nails sometimes
come off after a recovery from this disease.
A deafness now & then follows it, but it
is most commonly of a transient nature
except when it arises from the destruction
of the ^{Drum} ~~membrane~~ of the ear.

The disease has been prevented by
taking gentle purges, and by saturating the
system with mercury.

is
=big
up
a p
a for
with
desc
wi
tha
it
the
th
y
y
u
s

The Scarlatina Anginosa, -

is a disease of less ^{violence} ~~mortality~~ than the ma-
 lignant fore throat, and attended with much
 less mortality. It is generally attended with
 a purging of bile,
 a shining efflorescence upon the skin, and
 with Ulcers in the throat - but Dr Sydenham
 describes it as appearing ~~in one instance~~
 without a disease of any kind in the
 throat. I have ~~one~~, & but one ~~one~~ seen
 it in this form. It was while I was a
 student of medicine. ~~that~~ I will recollect
 the ~~the~~ article peeling off so completely
 from the hand & arm of a ~~young~~ little
 girl that it resembled an inflated glove.
 The heat of the skin & pulse & days is greater
 in this state of fever than ⁱⁿ any other. It
 sometimes rises to 112°. ~~The mortal~~
 cases in which it was accompa-
 nied

V It sometimes kills in six hours, but
it is remarkable while it now & then
carries off two or three in a family, but
-dads recover from it without an alarm.
-ming symptoms. Thus it exists as Dr
Thompson happily expresses it "from a
sea bite to a plague". Here you see the
Unity of Epidemics. The same thing occurs
-ed in the bilious fever of 1802 in this
city. While a few died of its most mortif-
-rant state with what is called yellow
fever, hundreds recovered in whom
it appeared in a mild remitting, and
intermitting form.

with a yellow skin. 10

~~Dr Willan tells us it sometimes ^{fatally} terminates~~
~~in phuritis & mania in which cases~~
~~all its ordinary symptoms disappear.~~
~~Cases of it are often~~ It is said to be con-
-tagious, but Dr Aberden & Dr Willan say
it may be taken more than once. My
Observation accord with this. I have seen
it several times in the same family in this
city. That it is an atmospheric disease
has been satisfactorily proved in a letter
from Gov^r Colden to Dr Fothergill in which
he says it appeared when there was not
the least probability of its being imported.
When the excretions from the throat are
very offensive they probably excite dormant
miasmata, and hence the reason why
it often spreads through a whole family.

very often
It terminates in anasarca or swellings
in the ~~legs~~ ^{lower extremities,} and now and then in phuritis:
= tis

an

an

gl

Dis

m

the

-10

-20

1

h

i

o

p

and mucus also in Abscesses in the neck
and in obstinate tumors in the submaxillary
glands.

The symptomatic symptoms of this
disease are nearly the same, as of the
malignant fore throat. An emetic has
the same good effect in preventing a com-
plete attack of the disease. When it is for-
ward, the Remedies should be

1 Bleeding when the pulse is full or tense. I
have repeatedly employed it and at first
in opposition to the prejudices of Claviers
of ~~my~~ my brethren who regulated their
practice by English books. I do not neglect

✓ of the Skin with Cold Water. Dr
Linné ventured upon this remedy
in this Disease with a great mass of
theoretical prejudice against it, but with
the happiest effects. I have imitated his
practice and with success. I was much
struck in observing the redness of the
skin to be increased, instead of being
lessened by the cold water. Recollect the heat
in this fever is greater than any other &
the water carries off this heat from the body.

that I ever lost a patient ~~into~~ for whom
I prescribed this remedy. This success was
perhaps owing to the disease being a safe
one when accompanied with inflamⁿ.

Symptoms.

2 Emetics. The sulphate of Zinc should be
preferred for this purpose. They should
be repeated two or three times in the
course of the disease.

3 Purges. They should be of a lenient kind.

4 ~~Emetics~~ ~~applied to the skin~~ Abution

4 Blisters. They should be applied first to
the lower extremities when the disease at-

tacks the head and breast.

5 Medicines calculated to promote perspi-

-tion.

6 Mercury so ~~much~~ combined as to dis-

pose it to act upon the throat.

7 Inunctions ^{and gargles} such as were given

for

8

se

Sta

I

en

de

re

=

2

1

6

2

3

0

for the malignant Sore throat, and
 8 Bark, wine and Laudanum. I have
 seldom found these medicines necessary,
 - the pulse seldom descending to the typhus
 state in which case only they are indicated.
 I think I have known them hurtful in
 every other state of the pulse.

Signs of a favourable issue of this disease
 are 1 a Deep and general red color of the skin.
 none died of this fever when it appeared ^{in older life} with
 - out any Affection in the throat.
 2 Swellings of the lower limbs are favourable.

Unfavourable signs are

1 great restlessness, or jactation of the body from
 One part of the ^{body} to another.

2 Cold ~~the~~ ^{feet} ~~feet~~ obstinately cold.

3 Abscess in the neck. I lost two patients
 in whom this Symptom occurred.

4

f

5

in

up

a

-

up

2p

-

ac

m

p

h

h

u

14
4 a yellow color of the Skin. I never
saw a recovery with this symptom.
5 Insensibility of the stomach dis-
covered by Iunctio making no impression
upon it. Dr. Willan says he never saw
a recovery where this was the case.

The swellings of the limbs sometimes
require the aid of medicine. They generally
yield to purges, and small doses of Nitro.

The means of preventing this disease
are the same as those for preventing the
malignant fore throat. Dr. Sims says ^{gentle} purges
effectually prevent it in persons
who are exposed to it. —


For a more minute Account of
this disease I refer you to Dr. Wellesley's
upon it, and to Dr. Cullen's first lines.

4
C
-
h
t
B
t
h
h
Si
sa
of
-
m

Of the Ocellus of Dr Tissot, on

Angina Suffocativa of Dr Bard.

This form of Ulcer^{sore throat} is accurately de-
scribed by ~~Dr Bard~~ Dr Tissot in
his Advice to the people, and by Dr Bard in
the first Volume of the philosophical
transactions. Its symptoms are nearly
the same as the malignant sore throat,
but its seat is a little different. It affects
the Trachea and Bronchia chiefly ^{with Ulcers,} and
sometimes leaves a membrane in them
similar to that which I shall presently
say takes place in some of the fatal cases
of Cyanotic tracheitis. Patients die suf-
focated with it - and hence one of its
names. Swellings, and Ulcers occur behind



16 its other
the case - and hence ~~another~~ of its names.
I have once seen it epidemic in this
city. It was in the year 1792. ~~It~~ It
~~has since~~ proved fatal to many children
and to some adults. I have ^{since} seen sporadic
cases of it. A spontaneous salivation some-
times attends, and is always salutary. A
matter is discharged from the ~~the~~ nose
as well as the throat so acid as to inflame
the nostrils and upper lip. I once saw
death nearly induced by a large collection
of matter in the nose which ^{seemed to} extended
into the frontal sinus. There is sometimes
a large swelling on the outside & anterior
part of the throat.

The Remedy in its forming state
should be an emetic, and gentle sweat.

be

2

1

2

be

3

4

to

to

5

wh

an

by

6

in

On

be

When the disease is completely formed,
the Remedies should be

1 Bleeding if the pulse be full or tense.

2 Emetics. The Sulphate of mercury sh^d?

be preferred for this purpose.

3 gentle purges.

4 Blisters especially behind the ears. We

thus second the efforts of nature, and

thereby save the trachea & bronchiae.

5 Mercury. By means of this medicine

when determined to the throat, we follow

an effort of nature to throw off the disease

by means of a salivation.

6 Tunnigations & gargles are less useful

in this disease than in the two preceding


ones, - from the Ulcers being generally ^{septs} beyond
below this action, but ~~they~~ the tonsils and

✓ Its prophylaxis is the same as
the other forms of ^{ulcerous} Sore throat.

fauces sometimes partake of the disease in
 the wind pipe in which case ~~they are~~ ^{those}
 local remedies are proper. They are further
 useful by ~~exciting an~~ ^{translating} action to parts
 less essential to life than ^{a part of} the organs of
 respiration, and ~~those~~


Dr Bard recommends bark in this
 disease. It was employed by most of the
 physicians of our city in the year 1792
 but without success. I did not prescribe
 a single dose of it, and I did not lose a
 single patient in it.

I had nearly lost a young lad of
 about 15 years of age ^{who had} with a collection of
 matter in his nose, and in the parts
 above and around it. He was saved by
 exciting a sneezing by means of snuff
 which happened to be the only ~~the~~ medicine
 in his room. V



Do then these three forms of Ulcerous sore
 throat which have been described, ~~the~~
~~diseases~~ ~~or do they~~ depend upon different
 specific remote causes? Dr. Fullen is of
 the latter ~~opinion~~ or are modifications only
 of one disease? Dr. Fullen is of the former
 opinion. Dr. Stoll of Vienna, & Dr. Aberden,
 Dr. Withering and Dr. Gregory ^{have supported} ~~of Great Britain~~
 the latter. They suppose they owe their
 variety in their symptoms, seat & mortality
 wholly to a difference of climate, seasons &
 constitution. I agree with them. The
 difference between these three forms of dis-
 ease, is no greater than is observed in
 different climates, seasons & constitutions
 in the bilious fever. Like the different

... of various ...



~~They are all of domestic origin~~
 forms of bilious fever, they often blend
 their symptoms together, but like the
 bilious fever they appear to ^{be} different
 effects of one cause, and that cause
 always of a domestic & atmospheric
 nature. —

even more of various kinds

V

2
i

2

2

0

2

0

Inter
3

Cynanchus Trachialis. 21

V ! It is a disease of Children chiefly, but it now & then affects Adults. I have seen 8 cases of it in young people in all of whom it terminated favorably - One in a woman of 70
1809 June.

2 Its causes are 1 primary. cold and moist air ^{induce} ~~act in this way~~ - hence it is most common in moist & cold seasons & countries. I have seen it induced by a bucket of water thrown accidentally upon a girl of five years old returning from school. I have lately seen induced in a lady by the fumes of white paint.

3rd It is induced by causes which act in a secondary manner. These are several other diseases translated to particularly by the small pox - measles - all the forms of sore throat - Aphthae - Rheumatism and Catarrh. The last is the most frequently induces it. In those cases in which it is said to be epidemic I believe it arises

✓ ~~daily in some cases when when~~
~~Ante & Chronis.~~

✓ I have seen ~~one instance in which~~
~~it terminated fatally in consequence of~~
~~a eclipse.~~

wholly from Catarrh. This ^{was} ~~has been~~
the case during the ~~present~~ ^{past} winter 1870.

- It is a higher grade of Influenza. It
is most dangerous when it is the effect of
a translated disease.

4th It is sometimes a symptomatic disease
from an error erectus & sensu. I once
saw a fatal case of it in a boy from
overdistending his stomach with breakfast
cakes. His lungs & wind pipe had been
debilitated by a previous disease.

5th It ~~comes~~ ^{comes} on gradually & suddenly,
& terminates in from one to 20 days. I
have seen ^{two} chronic cases of it - one ~~was~~
ended in a recovery - the other died on
the 17th day. ~~It~~ ^{Two} I have heard of two
other chronic cases of ^{it} in this city both
of which ended fatally. ~~It is~~ ^{It is}

5 V It is often attended with intermissions,
and exacerbations. In these cases
the ~~branches of the bronchial~~
~~trachea~~ ^{trachea} seems to be affected with
the Spasmodic form of Disease.

§. That it is generally, but not always attended with a frequent or tense pulse - ^{more} with other signs of ordinary fever.

✓ §. It is rarely attended with delirium. Dr. Michaelis says the mind is ^{frequently} elevated in it.

§. Children who have once had it, are subject to it for 5 or 6 years. I have known one instance of its being taken a dozen times.

§. It is sometimes a filial disease. Three and four of a family are now & then carried off by it in successive years in the same family.

10 §. Death sometimes occurs after an apparent recovery has taken place. It even occurs after expectoration of mucus & fragments of a membrane have afforded

11 hopes & expectations of ^a recovery.

12 §. A diarrhoea is generally ^a fatal sign in it.

2

22

f

i

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

Disputations show us the following Appearances:
 1 no sign of disease of any kind, from morbid excitement transcending inflammation: ^{Here, it is} ~~But~~ "dry disease".

2 Inflamed spots spread over the trachea.

3 ~~Some~~ A liquid matter said to be mucus, but - it is lymph not yet converted into membrane.

4 small Ulcers in the trachea. This is taken notice of by Dr. Cheyne.

5 a membrane of different degrees of density ~~for~~ similar to that which is formed after in the brain - pleura & intestines After inflammation pervading the larynx-trachea

and bronchia wholly or partially. This membrane by a chemical analysis ~~of~~ ^{possesses} all the properties of the white of an egg. It is insoluble in cold, and

✓ It may perhaps add to our knowledge
of this disease that two cases are upon
record of dogs having died with it. A
membrane formed from inflamⁿ was
found in the trachea of each of them.

✓ It is to be remembered that
~~all these symptoms usually come~~
on in the night, ~~and~~ in course

Hot water. It dissolves readily in a diluted alkali. By lixiviation, it yields a carbonate of soda, and a phosphate of lime.
~~[Schwitzer 1841. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.]~~

Trace its causes - symptoms and the effects as exhibited by dissection. Dr Darwin has called it "a phlegm in the Trachea", and Dr Frank a "Trachitis".

Now proceed now to the cure of this disease. But first let us inquire has it any premonitory signs? yes it has. They are heaviness & redness of the eyes - unusual vivacity or dulness - a short cough - ~~hoarseness~~ ^{with a little barking into and} some hoarseness, & all with, & without fever. In this Beeble & forming state of the disease, an extract of *Specaum* or *Squills* - or *Tartar Emetic* with

✓ It is to be lamented that these
presumptory signs of the disease too
often come on in the night, and
hence they are not so often met with.
by the remedies for that I have menti-
oned & used with so much success.

a few grains of Calomel seldom
 fails to extinguish the disease
 in a few hours. If the Calomel
 fail of opening the bowels, a purge
^{should} be given afterwards. In this
 way, I have prevented the formation
 of this disease in many, perhaps in
 a hundred instances, - and at least a dozen
 times in my case of my own family,
 without the aid of any other remedies.

After the disease is formed - the
 Remedies should be ~~to be~~

1 Bloodletting. This should be prompt
 and copious, or often repeated, in consequence
 of the part affected being so essential to life,
 and of its being from its size & cartilagi-
 nous nature so much ^{out} of the great



circulation. no age however young
or feeble should protect the disease from
the lancet. Dr. Physick bled a child of
but three months ^{three times} old in one day in
this disease and ~~the child~~ ^{with the happiest effects.} ~~saved its life.~~

2 Emetics. ~~those where given~~ This remedy
is indicated by the sympathy which
exists between the Stomach & the trachea
2 day children ~~in whom the sympathy~~
~~is most common~~ bearing emetics so ~~well~~
much better than grown people. and
3 by ^{this} ~~the~~ good effects. They often cure the
Disease when given in its early stage with-
out the aid of any other remedy. The
more prompt and active the emetics the
better. Squills, and tartar emetic ^{should} ~~not~~

+ Mrs Weir

✓ Cost thirty ounces of blood. —

be prepared for this purpose. When they fail recourse should be had to the finger or a feather. I once saved the life of a lady in this city who appeared to be nearly expiring with this disease by exciting a vomiting by means of a feather thrust down her throat. All the common emetics had been given to her without effect. She had previously

The emetics should be repeated daily, and even two or three times a day in the course of the disease.

3 Purges. These should be calomel and castor. Calomel should moreover be given in large doses in order to produce a counter action & secretion in the

ascribed the original use of this medicine
✓ I have been accused of having claimed the original
~~use of this remedy in the Gynanche Trichialis.~~
~~This is not true.~~
~~— stating and saying that: are not among the~~
~~in the Gynanche Trichialis to Dr. The Bond are~~
~~numbers of my Vices. In the 398th page of~~
~~the 4th Volume of my inquiries~~ ^{in the} ~~you would~~
~~find the following expressions:~~ ^{Words.} "To Dr. Tho:
Bond, of the City of Philad^a is indebted for
the general introduction of mercury into
general use in the practice of medicine.
He called it "a revolutionary remedy" &
prescribed it in all the diseases which re-
sisted the common modes of practice.
He gave ^{it} liberally in the Gynanche Tri-
chialis. I have put up many hundred
drams of it by order of my preceptor in medicine
~~who~~ between the years 1760 & 1766 & ~~the~~
learned the use of it from Dr. Bond. I
adopted it from thence.

29

Stomach and bowels. no age is too young
or too feeble to forbid this medicine. Dr
Peynch gave half a dram in divided
doses to the child I have just now men-
-tioned in the course of ^{day} one, & thereby
aided bleeding in saving its life. — V
4 Blisters should be applied to the throat,
but in cases which tend rapidly to
death a revulsion may be made from
the inside to the Outside of the throat
by means of the flour of mustard.
5 ~~the~~ Stimulating Cataplasms to the feet.
6 The pediluvium and warm bath. They
both determine to the skin and thus
relieve the Windpipe.



7 The Vapor of boiling water conveyed into the trachea. Dr. Mearns comments the Vapor obtained by pouring boiling water upon Capsicum - that is Cayenne pepper. Note Air has once ^{done service} ~~succeeded~~ when inhaled into the lungs.

8 Liquid Laudanum. In the Clonic Spasmodic form of this disease I have found this remedy very useful. It ~~was~~ used with it with great advantage in the case of Cyanotic tracheitis brought on by the odor emitted from white lead paint. It was aided in its effects by previous bleeding - Spirit of Turpentine and the external applications of mustard to the throat & feet. The ~~remedy~~ ^{intransigence} the

Dr

Ch

9

2


2

.

/


disorder in this case was attended with complete interruptions.

My ^{late} excellent friend & former Chaplain Dr Archer of Maryland introduced the use of the ~~Polygala~~ Seneca Snake root in this disease. A strong direction of it 3 pulses, and a weaker one certainly acts upon the diseased parts disposing them to throw off the matters that are secreted by them. Combined with other medicines it ~~was~~ has been useful, but I fear an undue reliance upon it to the exclusion of early bleeding &metics, has ~~rendered~~ rendered the evil, ~~it has done~~ much greater than the good it has



Done in this disease.

Tracheotomy has been recommended in this disease. In its ^{infantile} ~~infantile~~ form, however it may be useful by depletion, and by creating a new and an external disease. In this way Dr. Dooley cured a young woman in this city. She was relieved from the loss of blood before the knife reached the trachea. After the membrane is formed, I believe it never did service. I saw it employed without success in the grand son of Major Butler on the 2nd of Jan^y 1810. He revived from the loss of blood a few minutes, but soon afterwards died.



I once attended a man from Virginia, of the name of Bampfield, who, after an attack of this disease, was much distressed with the stertorous breathing and cough which belong to it. I suspected both to arise from a membrane formed by inflammation in his trachea. This membrane I supposed to be in part detached from the trachea, from the rattling noise which attended his breathing. He had used many remedies for it to no purpose. I advised a salivation, which in less than three weeks perfectly cured him.

The cynanche trachealis is attended with most danger, when the patient labours under a *constant* and audible stertorous breathing. The danger is less, when a dry stertorous cough attends, with *easy* respiration in its intervals. The danger is nearly over, when the cough, though stertorous, is *loose*, and accompanied with a *discharge* of mucus from the trachea. //

An eruption of little red blotches, which frequently appears and disappears two or three times in the course of this disease, is always a favourable symptom. .

It is generally fatal when it succeeds other diseases, and when it assumes a chronic form. —



The mumps called Angina
Parotidea.

A Disease common to young people
seated chiefly in the parotid glands.
It yields to low diet & gentle purging.
Sometimes it falls into the testicles
in men, & into the breasts in women.

In Angina The Swelling in the testicle
is again translated to the brain where it kills. It
sometimes destroys the ^{testicle by} ~~the part~~ withering

it away. It is prevented by a Blister
to the throat
as soon as the swelling makes its
appearance ^{in it} ~~in the~~ throat. It also
prevents its translation to the brain when
applied to the testicles. It has prevailed
a good deal ⁱⁿ the winter of 1804.5 - & sometimes
~~has~~ required 18. - misdeed cured suddenly by
leeches.



Angina pharyngea.

It occupies the whole pharynx.

- Its cure is ~~in the~~ ~~liquid purges~~ - low diet, and ~~Blister~~ its forming state

is gargles of brandy ~~or~~ simple or mixed with water, & Hartshorn's Sweet Oil applied to the outside of the throat. After it is formed,

U.S. liquid purges - low diet, &

Blister around the throat.

~~are~~ ^{which are} the 3 forms of Sore throat attended with Ulcers only higher grades of this form of Angina?

- ~~as~~ several Analogies of other forms of fever make this probable. E.g. The bilious fever, may even the phurisy, in their highest grades put on

malignant & gangrenous appearances. The thin covering of the throat - perhaps, disposes it to Ulcers more than other parts of the body where it is inflamed.

+ but without affording any relief. [Dispute
with Dr Jones & Dr H in Capt Barney's case]. It
generally affects Adults, & more than
women, and men of robust constitutions,
more than ~~weak~~ of a weakly.

↳ Thus cured in many Clyster in 802.

✓ This disease prevails among horses
by the name of the Strangles. Dr White
says it is always curable in it. It
cures itself by suppuration.

Angina tonsillaris

This disease is seated in the tonsils & as they are of a soft & spongy nature, they favour its rapid formation from the facility of lymph effusions in them, the formation of pus in so rapid manner that we sometimes the tonsils break into little Ulcers, & I formerly are seldom able to prevent it. I have failed in it, but failing of resolving the inflammation by it I have desisted from using it except where there is danger of Suffocation. After suppuration has begun, it protrudes the its breaking. The loss of a few teaspoonfuls of blood by a puncture in the tonsils gives more relief than any from the Arm. Gentle purges & low diet are proper. When it is ripe, it may be opened with ~~a sharp~~ an armed lancet,

or broken by any ~~24~~^{37.} other means. Dr
Radcliffe's method. Bronchotomy.

It is very apt to recur in persons
who have once had it. Its prophylaxis

consists in avoiding all its existing
such as full diet - vexation,
causes especially cold feet. wearing

wool in the case, ^{is} said to be good.

It prevented it 18 months in a patient

of mine, Wm Brown. It ^{returned} on laying it aside.

It has likewise been prevented by smoking tobacco.

It is said to be connected with liver complaint.
- when it is - they should be removed by
the medicines for them, to be mentioned

hereafter.
~~are the three last for of Southern~~

